





HUZYK SPOL. S. R. O.

P. O. Hviezdoslava 843/22, 018 51 Nová Dubnica
tel.: +421 42 44 311 82, mail: info@huzyk.sk



Názov produktu: **Oceľové lano 6x7**

Norma: **DIN 3055**

FC- konopná duša WSC- oceľová duša IWRC- oceľová duša (ako lano)

Nominálny priemer	Menovitá dĺžková hmotnosť			Nominálna pevnosť					
				lana v kN					
	kg/m			1770 N/mm ²			1960 N/mm ²		
mm	FC	WSC	IWRC	FC	WSC	IWRC	FC	WSC	IWRC
1,8	0,011	0,012	0,012	1,90	2,23	2,23	2,11	2,46	2,46
2,0	0,014	0,015	0,015	2,35	2,75	2,75	2,60	3,04	3,04
2,5	0,022	0,024	0,024	3,67	4,29	4,29	4,07	4,75	4,75
3,0	0,031	0,035	0,035	5,29	6,18	6,18	5,86	6,84	6,84
4,0	0,055	0,061	0,061	9,40	10,99	10,99	10,41	12,17	12,17
5,0	0,086	0,096	0,096	14,69	17,17	17,17	16,27	19,01	19,01
6,0	0,124	0,138	0,138	21,16	24,72	24,72	23,43	27,38	27,38
7,0	0,169	0,188	0,188	28,79	33,65	33,65	31,89	37,26	37,26
8,0	0,221	0,246	0,246	37,61	43,95	43,95	41,65	48,67	48,67
9,0	0,276	0,311	0,311	47,60	55,63	55,63	52,71	61,60	61,60
10,0	0,345	0,384	0,384	58,76	68,68	68,68	65,07	76,05	76,05
11,0	0,417	0,465	0,465	71,10	83,10	83,10	78,74	92,02	92,02
12,0	0,497	0,553	0,553	84,62	98,89	98,89	93,70	109,51	109,51
13,0	0,583	0,649	0,649	99,31	116,06	116,06	109,97	128,52	128,52
14,0	0,676	0,753	0,753	115,18	134,60	134,60	127,54	149,05	149,05
16,0	0,883	0,983	0,983	150,44	175,81	175,81	166,58	194,68	194,68
18,0	1,160	1,280	1,280	212,00	246,00	246,00	211,00	228,00	228,00
20,0	1,430	1,570	1,570	261,00	303,00	303,00	260,00	281,00	281,00
22,0	1,730	1,900	1,900	316,00	367,00	367,00	315,00	341,00	341,00
24,0	2,060	2,270	2,270	376,00	437,00	437,00			